INTERACTIVE SMARTI BLACKBOARD AND TOUCH; ANDROID 11.10 | Particle | Particle



FEATURE

- Capacitive Central Touch Screen
- Recordable and Intelligent Recognized Handwriting
- Save at Local or Share via QR Code
- With Fast Access Hotkeys
- Available Size:75", 86"







Active Pen



Points



HDMI



4K UHD Display

PRODUCT DESCRIPTION

MODEL

DIAGONAL DISPLAY SIZE

ACTIVE AREA(MM)

PIXEL PITCH

VESA (MM)

POWER CONSUMPTION

POWER CONSUMPTION(STANDBY)

INPUT VOLTAGE

OKN-ISB-75

75(inch)

1649.66*927.93(V)

0.429 mm x 0.429 mm

600x400

MaxinuuK 420W

Eco<75W

<0.5W

100-240VAC

OKN-ISB-86

86(inch)

1895.04*1065.96(V)

0.4935 mm x 0.4935 mm

800x600

MaxinnuK 500W

Eco<75W

<0.5W

100-240VAC



Contact info
Admin Tel: 02-973-1966

Facebook : O-Kini Display www.okini-display.com





BEZEL COLOR : Aluminum frame(Black color)

PANEL TYPE : Ultra HD Direct tyoe LED

RESOLUTION 3840*2160/60hz

HARDNESS GLASS : Mohse7 level

CLASS PANEL : Anti-Glare glass with zero bonding

ASPECT RATIO : 16:9

CONTRAST RATIO : 1200:1 (type)

DYNAMIC CONTRAST RATIO: 4000-1

BRIGHTNESS : 350cd/m2

COLOR DEPTH : 1.07 billion colors

VIEWING ANGLE : 178

LIFESPAN : 50.000 hours

TOUCH TECHNOLOGY : P-CAP Touch

MULTI TOUCH : Max 40 noints(Windows)

: Max 20 points(Windows) **MULTI WRITING**

AUTO-CALIBRATE : Yes

ANTI-LIGHT : Yes

MINIMUM OBJECT SIZE : 2mm

ACCURACY : 1 mm (over 90% Area)

RESPONSE TIME : <8 ms

SYSTEM SUPPORT : Windows 7/8/10/11:

Android Mac: Linux; Chrome OS

SPEAKERS : 2.0(2.1 option)

FRONT SPEAKERS : 15W*2 (20W*2option)

SUBWOOFER : 20W*1 option **TOTAL POWER AMPLIFIERS** <60m

TYPE Wide-area microphones

NUMBER OF MICROPHONES

AUTO SWITCH Yes

DISCONNECTABLE

NUMBER OF IMAGES 1300M(800M/4800M option)

MAXIMUM RESOLUTION 4208*3120(30fps)

AND FRAME RATE

FOV(FIELD OF VIEW) : 120

FRONT PORTS USB3.0 * 3 lines (Publc for

both Android & PC):

Touch out USB B type *

1 line; HDMI in 2.0 * 1

FRONT KEYS : Power onfott; Signal source;

Return; Main pase; Menu;

Volumne down; Volume up

USB-B (TOUCH) : 1

LAN-PORT IN : 1 (RJ45, 100 Mbit/s)

YPBPR IN

AV IN : 1

AV OUT : 1

AUDIO IN(OPTION)

VGA IN(OPTION)

EARPHONE/LINE OUT : 1

SPDIF OUT : 1



EASY TO INSTALL/UNINSTALL

Buckle design, easy to disassemble or maintain

LIGHT WEIGHT

The side wings blackboard is light weight

LED PROTECTION

Foldable wings could protect the central LED screen



Contact info

Admin Tel: 02-973-1966

Facebook: O-Kini Display www.okini-display.com











4K ULTRA CLEAR DISPLAY

4K super clear resolution, true restore details, Playing images, videos, PPT and other content is natural and comfortable



PLUG-IN OPS QUICK DISASSEMBLY

Flexible switching of dual systems, modular design of hostposition supports hot plugging, and can be disassembledseparately.



FEATURING INTELLIGENT TOUCH

The whiteboard supports object recognition that can differentiate your finger, stylus, and palm, then react as a marker, thin pen, or eraser.

ACTIVE PEN SMOOTH WRITING



Contact info
Admin Tel: 02-973-1966

Facebook : O-Kini Display www.okini-display.com







AUDIO-VISUAL COMBINED WITH MORE INTERESTING TEACHING

- Through pictures, video, sound, animation, text and other forms of teaching Visual impact to fruit strong, stimulate children's interest in learning
- Record the class so that students without Internet can engage with the lesson asynchronously at their own pace.

AUDIO-VISUAL COMBINED WITH MORE INTERESTING TEACHING

- Through pictures, video, sound, animation, text and other forms of teaching Visual impact to fruit strong, stimulate children's interest in learning
- Record the class so that students without Internet can engage with the lesson asynchronously at their own pace.





TEACHING CHILDREN TO BE MORE ATTENTIVE AND INTERACTIVE IS BETTER

- Multiple people can write, erase, split screen questions, writing and drawing at the same time in the whiteboard
- Add variety to your standard class with whiteboarding features, like handwriting sessions, history timelines, and geographical maps.







Contact info
Admin Tel: 02-973-1966

Facebook : O-Kini Display www.okini-display.com



